


BMHOLLY®




组装工具 (套件中不包含)

Assembling Tools (not included in kit)




十字螺丝刀 x 1
Phillips Screwdriver




螺母套筒 x 1
Nut Driver




内六角扳手 x 2
Hex Wrench
【1.3mm、1.5mm】



剪刀
(Scissors)



水口钳
(Side Cutter)



尖嘴钳
(Needle-Nose Pliers)

全车螺丝

Complete Screw Set (Full Vehicle)



圆头 M2x4(x22)
M2x4 RH Screw



圆头 M2x3(x4)
M2x3 RH Screw



M2x4 沉头螺丝(x1)
M2x4 CS Screw



M1.6x4 沉头螺丝(x5)
M1.6x4 CS Screw



圆头 M2x6(x2)
M2x4 RH Screw



内六角大平头螺丝(x1)
RH Big Flat Cap Screw



M1.6x4平头螺丝(x2)
M1.6x4 CS Screw

全车轴承

Full Vehicle Bearing Set



3x6x2轴承(x1)
3x6x2 Bearing



3x6x2.5轴承(x6)
3x6x2.5 Bearing



2x5x2.5轴承(x4)
2x5x2.5 Bearing



4x7x2.5轴承(x2)
4x7x2.5 Flange Bearing



5x8x2.5轴承(x2)
5x8x2.5 Bearing

全车齿轮

Full Vehicle Gear Set



直轴齿(x1)
Solid Axle Gear



主轴齿(x1)
Main Shaft Gear



马达齿(x1)
Pinion Gear



传动齿(x1)
Idler Gear



大齿(x1)
Spur Gear

其余配件

Full Vehicle Other Parts



M1.6x5 机米(x1)
M1.6x5 Set Screw



M2螺母(x2)
Wheel Nut




M2 六角螺母(x2)
Nut



转向柱(x1)
Steering Post




4mm摆臂球头(x4)
4MM Through Hole Pin Ball



前车壳固定座(x1)
Front Body Mount



舵机保护弹簧(x1)
Steering Spring




前轮弹簧(x2)
Front Spring




后轮弹簧(x2)
Rear Spring



轴距调节固定座(x1)
Wheel Base Adjustment Mount



调轴体(x1)
Wheelbase Block



狗骨(x2)
Dog Bones



2.5 球头(x8)
2.5 Rod End Ball



前轴(x2)
Front Axle



舵机盖板(x2)
Servo Mount Cover



悬挂插销前21mm, 后24mm(x4)
Suspension Pin Front 21mm,Rear24mm




传动主轴(x1)
Main Shaft




波箱齿轮轴(x1)
Idler Gear Shaft



直轴接杯 长(x1)
Solid Axle Drive Cup(Long)



马达座(x1)
Motor Mount



马达(x1)
Brushed Motor



转向摇臂(x1)
Steering Bell Crank



漂移窄轮胎(x2)
Narrow Drift Tire



漂移宽轮胎(x2)
Wide Drift Tire



窄轮毂(x2)
Narrow Wheel




宽轮毂(x2)
Wide Wheel




竞速窄轮胎(x2)
Narrow Racing Tire



竞速宽轮胎(x2)
Wide Racing Tire



转向组底座(x1)
Steering Base Mount



舵机臂(x1)
Servo Horn



2x2.4x2 垫片 x 1
2x2.4x2 Spacer x 1



3x6x0.3 垫片(x2)
3x6x0.3 Spacer




直轴接杯 短(x1)
Solid Axle Drive Cup(Short)




后杯 R(x1)
Rear Hub
Carrier (Right)



后杯 L(x1)
Rear Hub
Carrier (Left)



竞速转向杯 R(x1)
Racing Steering
Knuckle (Right)



竞速转向杯 L(x1)
Racing Steering
Knuckle (Left)



漂移转向杯 R(x1)
Drift Steering
Knuckle (Right)




漂移转向杯L(x1)
Drift Steering
Knuckle(Left)



后结合器(x2)
Rear Wheel Hub



7mm 球头胶(x2)
7mm Ball End Cap



10mm 正反牙拉杆(x2)
10mm Turnbuckle



60° 球头胶(x2)
60° Ball End Cap



10.15mm 球头胶(x2)
10.15mm Ball End Cap




短前拉杆(x2)
Front Short Tie Rod




窄前摆臂座(x2)
Front Narrow Suspension Mount




窄后摆臂座(x2)
Rear Narrow Suspension Mount




车体(x1)
Main Chassis




舵机(x1)
Servo



电池固定座(x2)
Battery Mount



后壳(x1)
Rear Gear Box Case



后波箱侧盖(x1)
Rear Gear Box Side Cover



2.5球头

2.5 Rod End Ball x 3



3x6x2 轴承

3x6x2 Bearing x 1



转向柱

Steering Post x 1



短前拉杆

Front Short Tie Rod x 2



M2x4 沉头螺丝

M2x4 CS Screw x 1



内六角大平头螺丝

RH Big Flat Cap Screw x 2




3x5x0.1 垫片

3x5x0.1 Spacer x 1






舵机保护弹簧

Steering Spring x 1






请务必将转向柱底座正确安装滑槽，再锁紧螺丝
Please ensure the steering column base is correctly installed in the guide slot before tightening the screw.





**请先将舵机通电对中后再安装舵机臂。
并确保舵机臂与舵机安装夹角接近90°**
Please power on the servo and center it before installing the servo horn.
Also, ensure that the angle between the servo horn arm and the servo mounting bracket is close to 90°.







舵机盖板

Servo Mount Cover x 2



圆头 M2x4

M2x4 RH Screw x 4





M1.6x4 沉头螺丝
M1.6x4 CS Screw x 4



2x5x2.5 轴承
2x5x2.5 Bearing x 4



4x7x2.5 法兰轴承
4x7x2.5 Flange Bearing x 2




直轴接杯 长
Soild Axle Drive Cup(Long) x 1



直轴齿
Soild Axle Gear x 1




圆头 M2x4
M2x4 RH Screw x 1




M1.6x4 CS Screw

M1.6x4 CS Screw



4x7x2.5 Flange Bearing

2x5x2.5 Bearing





M2x4 RH Screw

Soild Axle Drive Cup(Long)

Soild Axle Gear

扁位安装到位

Locating Flat Properly Seated



圆头 M2x4
M2x4 RH Screw x 4



直轴接杯 短
Soild Axle Drive Cup(Short) x 1



传动齿
Idler Gear x 1




主轴齿
Main Shaft Gear x 1



波箱齿轮轴
Idler Gear Shaft x 1



传动主轴
Main Shaft x 1





圆头 M2x6
M2x6 RH Screw x 2





马达座
Motor Mount x 1



大齿
Spur Gear x 1



2x2.4x2 Spacer x 1





※ 碳刷马达会随着使用的过程造成碳刷磨损，如发现动力减弱请按需更换。
Brushed motor experience wear and tear on the carbon brushes during use;
if you notice a decrease in power, please replace the motor as needed.



圆头 M2x3
M2x3 RH Screw x 2



马达齿
Pinion Gear x 1





圆头 M2x4
M2x4 RH Screw x 2



M2 螺母
Wheel Nut x 2






3x6x2.5 轴承
3x6x2.5 Bearing x 4



前轮轴
Front Axle x 2



2.5球头
2.5 Rod End Ball x 2



M2x4 RH Screw





21mm悬挂插销
21mm Suspension Pin x 2




4mm摆臂球头
4MM Through Hole Pin Ball x 2




前轮弹簧
Front Spring x 2



4MM Through Hole Pin Ball



圆头 M2x4
M2x4 RH Screw x 2





M1.6*4扁平内六角螺丝
M1.6*4 Flat Head Socket Head Screw x 2



圆头 M2x4
M2x4 RH Screw x 4



1.6x6x0.3垫片
1.6x6x0.3 Spacer x 2



结合器
Rear Wheel Hub x 2



5x8x2.5垫片
5x8x2.5 Bearing x 2



3x6x2.5垫片
3x6x2.5 Bearing x 2




后轮接杯
Rear Wheel Cup x 2




狗骨
Dog Bones x 2



M2x4 RH Screw



M2x4 RH Screw



1.6x6x0.3 Spacer
M1.6*4 Flat Head Socket Head Screw





圆头 M2x3
M2x3 RH Screw x 2



24mm悬挂插销
24mm Suspension Pin x 2



后轮轮弹簧
Rear spring x 2




M2x3 RH Screw



Rear spring



24mm Suspension Pin






4mm摆臂球头

4MM Through Hole Pin Ball x 2




圆头 M2x4

M2x4 RH Screw x 2



4MM Through Hole Pin Ball



M2x4 RH Screw



2.5球头

2.5 Rod End Ball x 4



正反牙拉杆

10mm Turn Buckle x 2




7mm球头胶

7mm Ball End Cap x 2




60°球头胶

60° Ball End Cap x 2




2.5 Rod End Ball

2.5 Rod End Ball




19.3mm



7mm Ball End Cap


10mm Turn Buckle

60° Ball End Cap






圆头 M2x4
M2x4 RH Screw x 2



※ 请根据车壳数据调整轴距
Please adjust the wheelbase according to the vehicle body data.

轴距尺寸: 90-107mm
Wheelbase Range: 90-107mm



※请勿大力锁紧螺丝, 谨防滑牙。


Do not tighten the screws too hard to prevent the screws from stripping

M2x4 RH Screw




ESC

Double Side Tape




Battery

[电池仓尺寸: 47.3*18.9*13.5mm]
[Battery Compartment Size: 47.3*18.9*13.5mm]



先将车头卡位放入卡槽，再确保侧方卡扣安装到位
First, insert the front of the device into the slot, then ensure the side clips are properly installed



※ 确保卡扣安装到位
Make sure all the buckles are plugged in place

基础拓展配件
Basic Expansion Accessories

可调车舌
Adjustment Front Body Mount





车舌
Front Body Mount

狗骨
Dog Bones





CVD

窄后摆臂座
Rear Narrow Suspension Mount



宽后摆臂座
Rear Wide Suspension Mount

宽前摆臂座
Front Wide Suspension Mount



窄前摆臂座
Front Narrow Suspension Mount


17.1mm拉杆
17.1mm Tie Rod



19mm拉杆
19mm Tie Rod



有刷马达座
Brushed Motor Mount



无刷马达座
Brushless Motor Mount



10mm正反牙拉杆
10mm Turn Buckle



13mm正反牙拉杆
13mm Turn Buckle




16mm正反牙拉杆
16mm Turn Buckle



19mm正反牙拉杆
19mm Turn Buckle

进阶拓展配件（需自行购买）

Advanced expansion accessories (must be purchased separately)



可调摆臂
Adjustable Control Arm



13mm正反牙拉杆
13mm Turn Buckle



16mm正反牙拉杆
16mm Turn Buckle



金属前杯
Alum Front Knuckles



金属转向套件
Aluminum Steering Upgrade Kit



金属舵机臂
Aluminum Servo Horn



碳纤维可调轴距板
Carbon Fiber Wheelbase Adjustment Plate



金属后杯
Aluminum Rear Hub Carrier



13mm正反牙拉杆
13mm Turn Buckle



16mm正反牙拉杆
16mm Turn Buckle



19mm正反牙拉杆
19mm Turn Buckle


FLD-S13 轮距尺寸

FLD-S13 Track Width Range

60.5mm

75.5mm

轮毂度数0°
+Offset 0



轮毂度数0°
+Offset 0



轮毂度数2.5°
+Offset 2.5



轮毂度数2.5°
+Offset 2.5








65.5mm

80.5mm

● 竞速模式 Touring mode

● 漂移模式 Drifting mode





BMHOLLY®

